

# SPECIFICATION

## MAHA PRODUCTS FOR VOLKSWAGEN AG



**TWO-POST LIFT  
WITH 3.5 t LIFTING CAPACITY**  
**Model: MA STAR 3.5 A VAS 771 043**

**VOLKSWAGEN AG**

Art.-No.	Qty	Description	Specifications-No.
----------	-----	-------------	--------------------

**VAS 771 043**

**VP 251236**

**1 MA STAR VAS 771 043**  
**Two-Post Lift 3,5 t**  
**MODEL: MA STAR 3.5 A**

**Standard Equipment**

- \* 2 asymmetrical columns with operating unit
- \* 4 asymmetrical support arms (2 double, 2 single telescopic)
- \* Support disc plug-in system
- \* Cable bridge
- \* Spindle oil (0.5 l)
- \* Operating instructions
- \* CE Declaration of Conformity
- \* Transport packaging

**Special Version**

*Special finish:*

*Posts: painted in RAL 7040 (grey)*

*Support arms, add-on parts: RAL 7016 (anthracite grey)*

*Label:*

*„VAS 771 043“ label*

*Lettering style: VW AG TheSans*

*Installation width:*

*Outer dimension base plate BGa = 3351 mm*

*(Drive-through width with door stop protection BH = 2370 mm)*




***Additional accessories strictly required 1x per lift:***

VZ 971607	1	Door stop on lifting carriage for vehicles with low doors	
VZ 971654	1	Positive-fit support disc 120 mm support plates (4 pcs)	VAS 771 045/1
VZ 971655	1	Positive-fit adapter MEB-Platform (4 pcs) (only in conjunction with VZ 971654)	VAS 771 045/2

# S P E C I F I C A T I O N

## MAHA PRODUCTS FOR VOLKSWAGEN AG


	<b>TWO-POST LIFT WITH 3.5 t LIFTING CAPACITY</b>  <b>Model: MA STAR 3.5 A VAS 771 043</b>	<b>VOLKSWAGEN AG</b>	
<b>Art.-No.</b>	<b>Qty</b>	<b>Description</b>	<b>Specifications-No.</b>

### Recommended Accessories:

VZ 971222	1	Support Plate Extension 150 mm, galvanized, (2 pcs.)	} VAS 5015A/2 (2x VZ 971222 / 2x VZ 971223)
VZ 971223	1	Support Plate Extension 200 mm, galvanized, (2 pcs.)	
VZ 971459	1	Sports Car Support Arms (4 pcs.) -EXTRA CHARGE-	
VZ 990488	1	Power Set mounted to Operating Column 1 x Compressed air coupling Nominal size 6 mm Max. volume flow 100 l/min (at 6 bar) 2 x 230 V Power (connection at column top, by customer)	
VZ 990489	1	Power Set mounted to Opposite Column 1 x Compressed air coupling Nominal size 6 mm Max. volume flow 100 l/min (at 6 bar) 2 x 230 V Power (connection at column top, by customer; only in conjunction with VZ 971590/VZ 971612)	
VZ 971590	1	Additional Operating Panel at Opposite Column MA STAR 3.5 incl. emergency-stop button	
VZ 971591	1	Holder for Pneumatic Air Wrench and 6 Sockets incl. Holding Device for 2 Support Plate Extensions	
VZ 971592	1	Document Holder, suitable for column/wall mounting (1 pcs.)	
VZ 971593	1	Holding Device for 2 Support Plate Extensions, can be mounted to Lift (1 pcs.)	
VZ 971224	1	Holding Device for 2 Support Plate Extensions, can be mounted to Wall (2 pcs.)	
VZ 990493	1	LED light (1 pcs.) pluggable	
VZ 971220	1	Support Plate Extension 50 mm, galvanized, (2 pcs.)	
VZ 971221	1	Support Plate Extension 100 mm, galvanized, (2 pcs.)	

# SPECIFICATION

## MAHA PRODUCTS FOR VOLKSWAGEN AG

		<b>TWO-POST LIFT WITH 3.5 t LIFTING CAPACITY</b> <b>Model: MA STAR 3.5 A VAS 771 043</b>	<b>VOLKSWAGEN AG</b>
Art.-No.	Qty	Description	Specifications-No.

### Recommended Accessories:

VZ 975050	1	Non-skid device for vehicles with longitudinal frame up to 100 mm width (2 pcs.)	V.A.G 1994
VZ 971649	1	Strap attachment on support arm thread for tilt protection	
VZ 971539	1	Storage Tray stainless steel, magnetic, for small parts, (2 pcs)	
VZ 971104	1	Light Barrier Safety Device to avoid Contact with Ceiling	
VZ 971600	1	Drilling template for MA STAR 3.5 A	
VZ 971605	1	CEE coupler 16A for on-site connection	
VZ 990490	1	Socket for inground wiring	
VZ 990491	1	Mains power supply 3x380-400V+N(220V)+PE;60Hz	
VZ 990492	1	Mains power supply 3x230V+PE; 50Hz	
VZ 990499	1	Mains power supply 3x230V+PE; 60Hz	
VM 999079	1	Install. material Injection system for MA STAR 3.5 A	
VM 999081	1	Injection mortar Cartridge 500 ml (1 pce)	

Please refer to current price list for additional options, transport and assembly charges!  
Subject to technical change without notice.